Web of Life

Adapted from: "Marsh Market" in WOW!: The Wonders of Wetlands. The Environmental Concern Inc., 1995. AND All the Rivers Run. Cuyahoga Valley Association and National Park Service, 1996.

Grade Level: basic

Duration: 40 minutes

Setting: classroom, outside, gym

<u>Summary</u>: Students research organisms in an aquatic food web, make a living food web by linking themselves with yarn, learning their organism's role in the ecosystem.

Objectives: Students will become familiar with organisms' roles in aquatic food webs and how energy is passed through the system. They will understand the interconnectedness of an ecosystem.

Related Module Resources:

•

<u>Vocabulary</u>: food chain, food web, trophic level, producer, autotroph, consumer, heterotroph, herbivore, primary consumer, secondary consumer, carnivores, tertiary consumer, top carnivore, top predator, detritivores, detritus, scavengers, decomposers, biomass, primary productivity, energy pyramid

Materials (Included in Module):

- Ball of yarn
- Organism Cards with yarn attached

Additional Materials (NOT Included in Module):

• Index cards (optional)

ACADEMIC STANDARDS (ENVIRONMENT AND ECOLOGY)

7th Grade

4.3.7.C Explain biological diversity.

- Explain the complex, interactive relationships among members of an ecosystem
- 4.6.7.A Explain the flows of energy and matter from organism to organism within an ecosystem.
 - Explain energy flow through a food web
 - Identify niches for producers, consumers and decomposers within an ecosystem

10th Grade

4.1.10.C. Describe the physical characteristics of a stream and determine the types of organisms found in aquatic environments.

- Identify terrestrial and aquatic organisms that live in a watershed.
 4.6.10.A. Explain the biotic and abiotic components of an ecosystem and their interaction.
 - Explain energy flow in a food chain through an energy pyramid.
 - Evaluate the efficiency of energy flow in a food chain.
 - Explain trophic levels.
- 4.7.10.A Explain the significance of diversity in ecosystems.
 - Explain the role that specific organisms have in their ecosystem

12th Grade

- 4.6.12.A Analyze the interdependence of an ecosystem.
 - Analyze the relationships among components of an ecosystem
 - Evaluate the efficiency of energy flow within an ecosystem.

BACKGROUND:

A **food chain** is a series of organisms linked by their feeding (predator / prey) relationships. A food chain is usually a simple linear progression where the first organism is eaten by a second, the second by a third, and so on. However in ecosystems, creatures do not usually eat just one type of organism, they have a varied diet. So food chains branch apart and interconnect to create more complicated **food webs.** Webs may involve more than 100 species, with predators often taking more than one type of prey, and prey often being pursued by several different predators. The relations in a food web are important dimensions to an ecosystem.

Food chains and webs help illustrate how energy is passed through an ecosystem. Food webs are composed of a series of feeding levels or **tropic levels**. Organisms are placed into tropic levels based on the number of "steps" their food energy passed through.

The energy starts with the sun. Light energy is captured and transformed into chemical energy

through photosynthesis and is used to make organic molecules. The organisms that first capture this light energy to make their own food are called **producers** or **autotrophs**. Autotroph is Greek for "self-feeder." Plants, algae, and some bacteria are the producers in nature. On land, plants are the main primary producers and algae in aquatic systems. Producers dominate the earth; 99% of all organic matter in the living world is made up of plants and algae. Producers are the foundation of many food chains representing the first trophic level because they obtain their energy directly from the sun.

An organism would be assigned to the second tropic level if it ate a plant because the obtained energy passed through two steps in the food chain. Organisms that cannot photosynthesize and that obtain their energy storing molecules by eating other plants and animals are called **consumers** or **heterotrophs** ("other-feeders").

Consumers can be broken down into numerous categories. Organisms that eat plants or algae are called **herbivores**. They are classified as **primary consumers** because they are the first link in the food chain that eats another organism for food. Of the organic material consumed by herbivores, much is eliminated undigested. Most chemical energy is "lost" maintaining essential life functions and activities. A small fraction of the chemical energy is converted to new animal biomass, which represents energy available to the next trophic level.

Secondary consumers eat primary consumers and represent the third trophic level. These organisms are **carnivores**, animals that eat other animals. Only a small amount of the organic substance present in the body of the herbivore becomes incorporated into the body of a carnivore. **Tertiary consumers** eat secondary consumers and make up higher trophic levels. A tertiary consumer may be classified as a **top carnivore** or **top predator** if the animal itself is free of predation.

It is important to realize that these categories are broad. Some organisms fit into more than one group. For example **omnivores** eat both plants and animals. Therefore they may be a primary consumer in one food chain and a secondary consumer in another.

Although some tertiary consumers are carnivores, many are **detritivores**, organisms that live on the refuse or **detritus** (freshly dead or partially decomposed organic matter) of a community. This can include dead leaves, branches, tree trunks, roots of annual plants, feces, carcasses, and even discarded exoskeletons. Detrivores can include **scavengers**, which eat dead prey rather than living prey. Detrivores can also include **decomposers**, such as fungi, bacteria, and some insects. Decomposers can be considered consumers, but they are different because they have specialized abilities to utilize sources of chemical energy, such as cellulose and nitrogenous waste products, that cannot be used by other animals. Decomposers help release nutrients back into the soil, allowing more plants to grow.

Energy is inefficiently transferred between trophic levels in a food chain. Approximately only 10% of energy stored in a plant is converted to animal mass by the consumer. A similar 10% energy passage relationship exists between other or

consequential trophic levels. The actual percentage of energy passed on can range anywhere between 1% to 20% and usually depends on the species involved. Each creature uses the energy to make structural molecules, conduct life process, and some is lost as heat, a natural by-product to just about any life process. So 100 calories of solar energy captured by algae may yield only 10 calories available to a herbivore that eats the algae, and only 1 calorie to the carnivore that eats the herbivore. A scientific study conducted by Lamont Cole of Cornell University on Cayuga Lake further illustrates this energy loss concept. He calculated that for every 1,000 calories of light energy utilized by algae, only 150 calories were transferred to small aquatic creatures. Of this amount, smelt, the principal secondary consumer fish, obtained only 30 calories. If a trout eats a smelt, it has only 6 calories available. If a human as the top predator caught the trout, only 1.6 calories were available of the original 1,000 calories.

Because of this significant loss of available energy between trophic levels, food chains rarely exceed four or five links. At any higher trophic levels, it becomes too difficult to obtain sufficient energy levels. That predator most likely will expend more energy obtaining food than the food will actually yield and/or cannot obtain enough nutrition and energy to sustain itself. That is why there are no non-human predators for adult eagles, bears, lions, killer whales.

The energy relationships between the trophic levels determine the structure of an ecosystem in terms of both the numbers of organisms and the amount of **biomass** (total weight of ecosystem organic material) present. The rate at which plants and other producers build biomass or organic matter is called the ecosystem's **primary productivity**. Different ecosystems vary considerably in their productivity, but the primary productivity level does influence how much energy is available within an ecosystem.

The flow of energy through a food chain in an ecosystem can be depicted as an **energy pyramid**, which shows maximum energy at the base with steadily diminishing amounts at higher levels. Energy pyramids help to visualize why most food chains are limited to three to five levels. Only a small fraction of energy stored by photosynthesis reaches the small block at the top of the pyramid representing tertiary consumers. Biomass can also be used to illustrate the relationship in a biomass pyramid and number of organisms in each trophic level can be used in a pyramid of numbers. In a biomass pyramid, the overall biomass or tertiary consumers decreases, but the biomass per organism usually increases. For instance, most top predators are large organisms (bears, mountain lions, eagles), but they usually have a lower total population than organisms at lower trophic levels (there are more trout out there than eagles). This is because there is not enough food and energy to support large populations of tertiary consumers.

The loss of energy described above is often the reasoning used by people choosing to eat foods that are lower on the food chain, thus gaining more energy value from it. They would eat the smelt instead of the trout or eat vegetables (producers) instead of meat (consumers).

OVERVIEW:

Students become connected in an aquatic food web that they create. They will wear organism illustrations around their neck and pass yarn to an organism that they eat or are eaten by, learning their organism's role in the ecosystem. How energy is passed through the food web will be discussed as well.

PROCEDURE:

- 1. Make a list the plants and animals that live in and around a stream, pond, or wetland community be as specific as possible for the group involved. (Include such things as birds, fish, insects, amphibians, reptiles, crayfish, algae, and even humans.)
- 2. Bring out the Web of Life Organism Cards and show them all the different types of creatures that could be on the list. Assign each student to be one of the organisms that is on the Web of Life Organism Cards.
- 3. Have them research the food preferences and predators of that organism. If you think they may forget, you may want them to write down their findings on an index card.
- 4. Categorize the organisms as primary producers, herbivores, carnivores, omnivores, scavengers, or decomposers. This can be done by making a list on a board (e.g. chalk or dry-erase) or could be done later in the activity.
- 5. Have the students put the Organism Cards around their neck.
- 6. Have the class stand in a circle. Pick a student who is representing a plant/algae/ primary producer. Give them a ball of yarn and have them wrap the end once around their hand. You might want to ask the group why you chose this student to begin the food web.
- 7. Have them pass the ball of yarn to an organism that eats that plant. That person should also then wrap the yarn around their hand and pass the ball on again to an organism that they would eat or be eaten by. They should try to pass it to someone who has not received the yarn yet. The students that did the research on the organism can help to decide where the ball should be passed. For reference, enclosed is a list of the organism represented on the cards with their diets and what they are eaten by.
- 8. Toward the end, if students are having trouble finding something they eat or are eaten by, you may need to ask them to find something that interact with in some other way (ie. Two insects might live under the same rock; a raccoon relies on the insects to feed the fish, which the raccoon eats).
- 9. When all possible connections have been made, the web is completed. At this point, have the students move in a manner that stretches the web taut.

- 10. Discuss what would happen if an organism disappeared from the web. How might this happen?
- 11. As the students come up with ideas that might harm or eliminate a member of the chain, have that member pull the string. Then, anyone who feels the string move should raise their hand. These people should all tug on the string in unison and everyone who has been affected, by that tug should raise their hand. OR Have the eliminated person drop his or her string. Now make the web taut again, which will require the people connected to the person who dropped out to move back away from the circle reshaping / disrupting the web. Eliminate another, creature/person and reshape again.

DISCUSSION:

Have the students talk about what ways the organisms would be affected by those that pulled/dropped the string. Help them come to the conclusion that the organisms are all connected in some way and are therefore dependent on each other.

Discuss the roles that different organisms played in the food web - primary producer, primary consumer, secondary consumer, omnivore, scavenger, decomposer, herbivore, carnivore, etc.

There was no card for bacteria in the activity. What role would it play in the food web? *It would be a detrivore and more specifically a decomposer.*

What role could humans play in the food web? In some cases, we are a predator and in some cases we may overharvest a particular organism. We also can indirectly affect the food web by destroying aquatic habitats that some of the creatures may rely on, by adding pollution to the aquatic system, by introducing a non-native species into the ecosystem that outcompetes the native organisms for food.

This activity allows for a great follow up discussion about how energy is passed through an ecosystem and is lost from one trophic level to another. *See background section and visual aids enclosed.*

If herbicides were added to a waterway and they killed all the aquatic plants and algae, how might this affect trout living in the stream? Trout may eat insects that rely on the aquatic plants for food. Without the plants, these insects may not survive and the trout may need to find a new food source. In addition, there may be a concern of bioaccumulation of toxins in the trout if they eat insects that have ingested herbicides.

EVALUATION:

- Identify an organism's role in a food chain i.e. tertiary consumers, decomposer, etc.
- Recognize that the members of a community interact in a number of ways that make them interconnected.

- Identify the food and predators of a number of organisms in a stream or wetland community.
- Provide a list of organisms and have students create a food web using the list.
- Describe how a number of members of a community can be affected when one organism is disturbed.
- List a creature in each of the following categories: primary producer, primary consumer, secondary consumer, omnivore, scavenger, decomposer, herbivore, carnivore.

EXTENSIONS AND MODIFICATIONS:

- Change cards and do the activity again.
- You may want to have students take notes on the different roles that organisms play in a food web, keep the notes with them during the activity, and identify their role as they create the web.
- Have the students decide and research what organisms they would like to represent. Instead of using the enclosed creature pictures, have them create their own picture. This can be done from magazines or with a simple drawing.
- Repeat the activity in other types of habitats. Students will need to create their own pictures or simply where a tag with the name of their creature in this case.
- Have student figure out a way to visually represent an energy pyramid or biomass pyramid for 4 or 5 organisms (perhaps phytoplankton, black fly larvae, creek chub, perch, eagle). Perhaps they make a 500 phytoplankton cards (or scraps of green paper) which would be enough to feed 50 black fly larva, enough for 5 creek chubs, barely enough for 1 perch, which would be a good appetizer for a bald eagle).

NOTES (TEACHERS, PLEASE WRITE ANY SUGGESTIONS YOU HAVE FOR TEACHERS USING THIS ACTIVITY IN THE FUTURE):

Activity Version: November 2001

WEB OF LIFE - Organism menus

This list may not include the complete diets of the organisms below; some food choices may have been omitted. But this chart is an excellent reference to help facilitate the Web of Life Activity.

Organism	It Eats	It Is Eaten By
Alderfly Larvae	Predaceous, eats other insects larvae including other Alderfly Larvae	Fish, Other Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Aquatic Sowbug	Plants, Detritus, Dying Animals	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Beaver	Plants and Fungi- Grass, Ferns, Mushrooms, Duckweed, Algae, Leaves, Roots and Stems of Plants, Cattails, Water Lilies, Bark, Twigs, and Tree Buds	Bears, Bobcats
Black Bear	Fruit, Mast (acorns and beechnuts), Leaves, Grasses, Insects, Plant Roots, Amphibians, Reptiles, Small Mammals, Fish, Carrion	
Blackfly Adult	Blood from biting mammals	Fish, Damselflies, Dragonflies, Frogs, Salamanders, Toads, Birds
Blackfly Larvae	Filter feeder – on Phytoplankton, Micro-organisms, Plant Debris, Detritus	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Blue Heron	Animals- Fish, Frogs, Crayfish, Snakes, Invertebrates, Small Rodents	Foxes, Minks, Hawks, Eagles, Raccoons
Caddisfly Adult	Plant Nectar	Fish, Damselflies, Dragonflies, Frogs, Salamanders, Toads
Case-making Caddisfly	Detritus, Algae, Aquatic Micro- Organisms	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Cattail	Autotrophic- Photosynthesis	Beaver
Coarse Particulate Organic Matter		Detritivore Aquatic Macroinvertebrates
Common Carp	Aquatic insect larvae, mollusks, crustaceans, Plants, algae, Fish Eggs, some detritus	Predatory Mammals and birds
Cranefly Adult	Plant Pollen	Dragonflies, Frogs, Birds, Fish

Organism	It Eats	It Is Eaten By
Cranefly Larvae	Small microorganisms (plants and animals), Periphyton and Phytoplankton, Detritus, plants, even wood	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Crayfish	Plants, Leaves, Aquatic Macroinvertebrates, Aquatic Worms, Small fish, Detritus –Coarse Particulate Organic Matter, Fine Particulate Organic Matter	Raccoon, Otter, Fish, Hellbenders
Creek Chub	Aquatic Invertebrates, Plant Material, Tiny Crustaceans, Mollusks	Larger Fish, birds
Damselfly Nymph	Predaceous – eats Tadpoles, Insects, Other Aquatic Macroinvertebrates, worms, small crustaceans	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Predatory beetles, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Birds, Raccoons, Turtle
Dragonfly	Predaceous – eats Tadpoles, Insects, Other Aquatic Macroinvertebrates, worms, small crustaceans	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Predatory beetles, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Birds, Raccoons, Turtle
Eagle	Fish (60-90% of diet), Birds, Small Mammals	
Egret	Fish, Small Mammals, Amphibians, Insects	Foxes, Minks, Hawks, Eagles, Raccoons
Elodea	Autotrophic- Photosynthesis	Ducks, Aquatic Insects that eat plants, Beavers, Fish that eat plants
Fine Organic Particulate Matter		Detritivore Aquatic Macroinvertebrates, Mussels, Some Fish
Frog	Insect Adults and Larvae, Arachnids	Raccoons, Snakes, Small Mammals, Predatory Fish and Birds
Fungi	Dead Plants	Beaver, Snails
Giant Water Bug	Predaceous – eats Aquatic Macroinvertebrates, Tadpoles, Crustaceans, Tadpoles, Fish	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Hellbender	Crayfish, Snails, Worms, Aquatic Insects	Perhaps an Eagle, Raccoon, Bear
Lamprey	Parasitic Relationship with Host, Sucks Fluids	King Henry I and Alexander the Great (check the web if you don't believe it!)
Leaf	Autotrophic- Photosynthesis	Anything that eats detritus or coarse particulate organic matter – aquatic insect larvae, snails, crayfish and smaller crustaceans, some fish, filter feeders will eat fine particulate organic matter of leaves in water column

Organism	It Eats	It Is Eaten By
Leech	Scavenge or prey on aquatic insects, mollusks, and aquatic worms. Some are blood suckers of fish, amphibians, reptiles, waterfowl	Predaceous Fish, predaceous aquatic insects
Mayfly Larvae	Plant pieces and Detritus, algae, a few eat other aquatic insects	Fish, Crayfish, Aquatic Macroinvertebrates, Frogs, Salamanders, Toads, Raccoons, Turtle
Mosquito Adult	Adult Female- Blood; Adult Male- Plant Pollen	Birds, Fish, Toads, Salamanders, Frogs
Mosquito Larvae	Larvae- Algae, Zooplankton, Debris, Micro-Organisms	Fish, Crayfish, Frogs, Salamanders, Toads, Raccoons, Turtle
Mudpuppy	Crayfish, Worms, Aquatic Invertebrates, Small Fish, Fish Eggs	Hellbender, Predatory mammals and birds
Mudworm	Mussels	Fish
Muskrat	Roots and Stems of Aquatic Plants (Cattails), Legumes, Grasses, Grains, Garden Crops, Fruits, Crayfish, Mussels, Fish, Frogs, Carrion, Dead Muskrats	Predatory mammals
Mussel	Zooplankton, Phytoplankton, Detritus	Mudworms (parasitic relationship), Otters, Raccoons
Otter	Fish, frogs, turtles, snails, mussels, crayfish, snakes, snake eggs, worms, insects, aquatic plants, muskrats, mussels	Large Predatory Mammals
Perch	Small Insects, Zooplankton, Crayfish, Snails, Small Fish	Larger Fish
Periphyton (Algae)	Autotrophic- Photosynthesis	Any aquatic insect larvae that eats algae (grazers), some fish, snails, crayfish
Phytoplankton (Algae)	Autotrophic- Photosynthesis	Zooplankton, snail, Mosquito Larva, Aquatic Macroinvertebrates
Pine Needles	Autotrophic- Photosynthesis	Less appealing than deciduous tree leaves, may be eaten by some aquatic insect larvae, snails, crayfish and smaller crustaceans, fungi and bacteria decompose it
Raccoon	Vegetables and Plants- Berries, Fruit, Nuts/Mast, Leaves, Earthworms, Insects, Fish, Frogs, Crayfish, Mice, Carrion	Large Predatory Mammals
Riffle Beetle	Periphyton, Detritus	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebates, Frogs, Salamanders, Toads, Raccoons, Turtle

Organism	It Eats	It Is Eaten By
Roundworms	Plants and Animals	Aquatic Insects, Crayfish, Fish
Salamander Egg Sac		Fish, amphibians, birds, raccoons
Scud	Detritus, Vegetation	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebates, Frogs, Salamanders, Toads, Raccoons, Turtle
Sculpin	Aquatic Invertebrates, Detritus	Larger Fish, Otter, Muskrat
Snail	Algae, Moss, Fungi, Bacteria, Rotifers	Fish, Birds, Mammals, and Parasitic Worms
Stonefly	Plants and Detritus, periphyton, fungi and bacteria on decomposing leaves	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebates, Frogs, Salamanders, Toads, Raccoons, Turtles
Toad	Insects, Arachnids	Snakes, Small Mammals, Fish
Trout	Adult and Larvae Insects, small fish, egg masses	Bears, Eagles, Heron, Egrets, Raccoons, Otters
Tubifex Worms	Detritus	Small Fish, Aquatic Macroinvertebrates
Turtle	Adult and larvae insects, Seeds, Berries	Otter
Water Penny	Periphyton, organic debris	Predatory Fish, predaceous aquatic insects
Whirlgig Beetle	Small Organisms, Scavenger on floating organic matter, zooplankton, small insects on surface	Fish, Alderfly Larvae, Crayfish, Damselflies, Dragonflies, Other Predatory Aquatic Macroinvertebates, Frogs, Salamanders, Toads, Raccoons, Turtles
Wood Duck	Vegetation- pondweeds, eloeda, wild rice, water lillies, grapes, berries, nuts, insects, spiders	Mink, Otters, Raccoons, Hawks, Eagles, Owls
Zooplankton	Microscopic organic debris or Fine Particulate Organic Matter, Bacteria, Phytoplankton, Periphyton	Fish, especially young fish, Aquatic Macroinvertebrates